

The FAX-1030e Plain Paper Fax with
Built-in Digital Answering Machine

The fax machine that lets you make calls and
takes your messages



200 Sheet
Paper Capacity



112 Quick Dials



14.4K bps
Modem



Up to 20
Sheet ADF



1MB Memory



24 hour 7 day
Online help



FAX-1030e

At home or in the office, this combined telephone, built-in digital answering and fax machine with advanced business functions keeps you in touch and on top.



FAX-1030e

FAX-1030e Plain Paper Fax with Built-in Digital Answering Machine

The fax machine that lets you make calls and takes your messages

Plain Paper Fax

At the heart of this combined telephone/answering machine/fax machine/copier is a professional plain paper fax facility with advanced business functions. It is ideal for the home or office that requires both facilities but has restricted space. So why have four separate machines when you can have it in one.

Simplicity

With the aid of Brother's navigation keys, it is both quick and easy to search through and select any of the FAX-1030e's many advanced business functions. The machine also boasts the ability to automatically redial the intended recipient, should the number be busy.

Innovation

With its 14.4K bps modem, the FAX-1030e is capable of transmitting a fax in approximately 10* seconds.

And with its 1MB memory, this innovative machine is able to save up to 50* pages of incoming faxes to memory, until such time as paper stocks are replenished and the stored documents can be printed out.

Efficiency

Less time will be wasted standing around the fax machine, thanks to the time-saving features of the FAX-1030e. It allows you to send up to 20 sheets and has an up to 200 sheet paper capacity. Further efficiency gains can be made by the utilisation of the machine's 12 one-touch or 100 speed dial pre-programmable locations.

Versatility

To ensure the ultimate in versatility and user-friendliness, the FAX-1030e is able to forward received and stored faxes to another fax machine. It also offers a

number of useful copy functions, such as the ability to automatically sort multiple copies, as well as the option to reduce or enlarge documents from 50% to 150%.

Common Genealogy

The FAX-1030e is one of a family of compact, highly specified, fax-technology based machines that gives you the added benefit of a built-in telephone handset digital answering machine and copier.

Key features include:

- Plain Paper Fax
- Built-in Telephone Handset
- Full Duplex 'Hands Free' Speakerphone
- Built-in Digital Answering Machine
- 14.4K bps G3 Modem
- Up to 20 sheet ADF
- Up to 200 Sheet Paper Capacity
- 12 One-touch Dials
- 100 Speed Dials
- 112 Broadcast Locations
- 1MB Memory (up to 50 pages* for out of paper reception)
- Automatic Redial
- Error Correction Mode
- Fax Forwarding
- Fax Retrieval



*Based on ITU-T Test Chart No.1 with ECM (Standard Resolution)

FAX-1030e

Technical Specification

General

Engine	Thermal Transfer
Modem Speed (bps)	14400
Transmission Speed	About 10 seconds*
Handset	Integrated Telephone Handset
ITU-T Group Compatibility	G3
Data Compression	MH
Input / Output Width	A4
ADF (Auto Document Feed)	Up to 20 sheets
Paper Capacity	Up to 200 sheets
LCD Display Size	1 line of 16 characters
On-Screen Programming	Step by step prompts are displayed within the LCD in order to facilitate programming machine options and settings
Backup for Clock	Up to 15 hours
Backup for Page Memory	Up to 6 hours
Backup for Voice Messages	Up to 6 hours
Total Memory Capacity	1 MB
Transmission Lock	Prevents unauthorised access and transmission and reception of faxes

Fax

Automatic Redial	Automatic redialling if the recipient fax is busy
One-Touch Dial Keys	12 Locations
Speed Dials	100 Speed Dial locations
Speaker Phone	Full duplex 'hands free'
Group Dial	Up to 6 groups
Telephone Index	An electronic, alphabetical listing of stored one-touch, speed dial and group numbers
Telstra® FaxStream Duet® Compatibility	A service purchased from Telstra® that allows two telephone numbers to share a single fixed line, the function enables the machine to differentiate between incoming calls.
Automatic FAX/TEL Switch	Automatic recognition of fax and telephone reception
Mute Key	Enables the user to put a call on-hold with background music
Super Fine	Enables quality transmission of very small print and line drawings
Grey Scale	64 levels
Enhanced Remote Activate	Transfer a fax call, answered at an extension phone, to the fax machine
Delayed Transmission	3 Timers
Polling Type	Standard, Secure, Delayed and Sequential
Quick-Scan	Reduce scanning times by scanning a fax into memory before sending. Approx. 18 seconds per page*
Memory Transmission	Up to 50 Pages*
Out of Paper Reception	Up to 50 Pages*
Broadcasting	Send the same fax message to up to 112 separate locations

* Based on ITU-T Test Chart No.1 with ECM and standard resolution.

Next Fax Reservation	By loading a document in the ADF and entering the dialling location the user can prepare a fax for transmission whilst the machine is already receiving a call
Call Reservation	Send a fax and then talk with the recipient at the end of the transmission
Automatic Reduction	When receiving a single page document between 297mm and 350mm long the fax machine will automatically reduce the message to fit onto a single A4 sheet
ECM (Error Correction Mode)	Where machines share the ECM feature, errors that are detected during fax transmission are corrected by resending the data automatically
Multi-resolution Transmission	Enables separate resolution selection for each page of a fax transmission
Caller ID Compatible	A service purchased from the Telephone company that lets you see the number or name of the person calling you.
TAD Recording Time	This machine will record incoming messages for up to 30 minutes
Fax Forwarding	Sends a fax received in memory to another pre-programmed fax number
Fax Retrieval	Allows the user to retrieve fax messages using another touch tone machine

Copy

Multi-Copying / Sort	Makes up to 99 copies of each page loaded in the ADF and sorts
Enlargement/Reduction Ratio	Reduce or increase document sizes from 50% to 150%

List / Report

Journal Report	Lists information about the last 30 incoming and outgoing faxes
TX (Transmission) Verification Report	Print out reporting transmission details after each fax is sent
Cover-page	Generates a cover page to be printed at the recipients machine
Help List	By pressing the Reports key a list of basic operational steps and functions can be printed

Interface

External TAD Interface	Interface for connecting external telephone answering devices
------------------------	---

Weights and Measures

Dimensions	With carton (455mm width) x (475mm depth) x (285mm high) Without carton (378mm width) x (385mm depth) x (215mm high)
Weight	With carton 7.3 kg Without carton 6.0 kg
Power Consumption	Stand-by: under 4.5 W Peak: under 170 W

Consumables

PC-201: Printing Cartridge	(Single ribbon up to 420 pages)
PC-202RF: 2 ribbon re-fill pack for PC-201	(up to 420 pages per ribbon)



Failure to use genuine brother supplies may damage the machine and such damages will not be covered under warranty.

Contact:

At your side.
brother®

Brother International Australia Pty Ltd

Corporate website: www.brother.com.au

NSW/ACT 7 Khartoum Rd. North Ryde NSW 2113 Phone: (02) 9887 4344 Fax: (02) 9870 7234

VIC 43 Carrington Rd. Box Hill VIC 3128 Phone: (03) 9899 4844 Fax: (03) 9899 4833

QLD/NT Unit 4, 57 Miller St. Murrarie QLD 4172 Phone: (07) 3348 9266 Fax: (07) 3348 9366

SA/TAS Unit 4, 13 King William Rd. Unley SA 5061 Phone: (08) 8272 1300 Fax: (08) 8272 1199

WA 117 Great Eastern Highway Belmont WA 6104 Phone: (08) 9478 1955 Fax: (08) 9277 2177

All specifications subject to change without notice